

Safety Data Sheet

according to Regulation (EC) No. 453/2010 Date of issue: 27-06-2014 Revision date: 27-06-2014

Supersedes: 27-06-2014

Version: 1.0

SECTION 1: Identification of the su	ibstance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: ENEOS ECO ATF
Product code	: V161500075
Type of product	: Lubricants
Product group	: Trade product
1.2. Relevant identified uses of the sul	bstance or mixture and uses advised against
1.2.1. Relevant identified uses Intended for general public	
Main use category	: Industrial use, Professional use, Consumer use
Use of the substance/mixture	: Lubricant
Function or use category	: Lubricants and additives
1.2.2. Uses advised against No additional information available	
1.3. Details of the supplier of the safet	y data sheet
JX NIPPON OIL & ENERGY EUROPE LIMITE 4th Floor, 4 Moorgate London, EC2R 6DA UNITED KINGDOM	D
1.4. Emergency telephone number	

Emergency number

: 0044 20 7186 0400 (Monday to Friday: 8:00 - 17:00)

Country	Organisation/Company	Address	Emergency number
GREECE	Poisons Information Centre Children's Hospital "Aglaia. Kyriakou"	11527 Athens	+30 10 779 3777
ICELAND	Iceland Poisons Information Centre Landspitali University Hospital	Fossvogi 108 Reykjavik	+354 525 111 +354 543 2222
IRELAND (REPUBLIC OF)	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	: +353 1 8379964
ISRAEL	Israel Poisons Information Centre Rambam Medical Centre	PO Box 9602 31096 Haifa	+972 4 854 1900
UNITED KINGDOM	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0870 600 6266 (UK only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aquatic Chronic 3 H412

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

R52/53

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2.	Label elements		
Labelling	according to Directive 67/548/EEC o	r 1	999/45/EC
R-phrase	S	:	R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
S-phrase	5	:	S35 - This material and its container must be disposed of in a safe way S61 - Avoid release to the environment. Refer to special instructions/safety data sheets

Safety Data Sheet

according to Regulation (EC) No. 453/2010

2.3. Other hazards

Other hazards not contributing to the classification

: This product floats on water and may affect the oxygen-balance in the water. The base oil contains less than 3% DMSO-extract measured according IP 346, therefore it is NOT classified as T/R45: May cause cancer" (Note L).". USED ENGINE OILS: Combustion products resulting from the operation of internal combustion engines contaminate engine oils during use. Used engine oil may contain hazardous components which have the potential to cause skin cancer. Frequent or prolonged contact with all types and makes of used engine oil must therefore be avoided and a high standard of personal hygiene maintained.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
Distillates (petroleum), hydrotreated heavy paraffinic	(CAS No) 64742-54-7 (EC no) 265-157-1 (EC index no) 649-467-00-8	>= 50	Xn; R65
Alkyl Methacrylate copolymer		2,5 - 5	Xi; R36
Alkyl phenol	(CAS No) 125643-61-0 (EC no) 406-040-9	2,5 - 5	R53
Alkyl phosphites	(EC no) 424-820-7	0,1 - 1	Xn; R21 C; R34 N; R50/53
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic	(CAS No) 64742-54-7 (EC no) 265-157-1 (EC index no) 649-467-00-8	>= 50	Asp. Tox. 1, H304
Alkyl Methacrylate copolymer		2,5 - 5	Eye Irrit. 2, H319
Alkyl phenol	(CAS No) 125643-61-0 (EC no) 406-040-9	2,5 - 5	Aquatic Chronic 4, H413
Alkyl phosphites	(EC no) 424-820-7	0,1 - 1	Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Seek medical attention if ill effect develops.
First-aid measures after inhalation	: Take victim to fresh air, in a quiet place, in an half laying position and if necessary take medical advice. Allow the victim to rest.
First-aid measures after skin contact	 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. High-pressure injection under skin may cause serious damage. Seek medica attention if ill effect or irritation develops.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Ensure adequate flushing eyes by separating eyelids with the fingers. Obtain medical attention if pain, blinking, tears or redness persist.
First-aid measures after ingestion	: Consult a doctor/medical service if you feel unwell. If vomiting occurs spontaneously, keep hear below the hips to prevent aspiration. Do not induce vomiting.
4.2. Most important symptoms and eff	ects, both acute and delayed
Symptoms/injuries after inhalation	: At normal ambient temperatures this product will be unlikely to present an inhalation hazard because of its low volatility. May be harmful by inhalation if exposure to vapour, mists or fumes resulting from thermal decomposition products occurs.
Symptoms/injuries after skin contact	 Unlikely to cause harm to the skin on brief or occasional contact but prolonged or repeated exposure may lead to dermatitis. High pressure injection of product into the skin may lead to local necrosis if the product is not surgically removed.
Symptoms/injuries after eye contact	: Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.
Symptoms/injuries after ingestion	 Bad taste. Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities may cause nausea and diarrhoea.
Symptoms/injuries upon intravenous administration	: Unknown.

Safety Data Sheet according to Regulation (EC) No. 453/2010

I reat a mantamatically	medical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting meas	ures
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide (CO2), dry chemical powder, foam. Water fog.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2. Special hazards arising from	the substance or mixture
Fire hazard	: Combustion generates : CO, CO2, POx, NOx, SOx, H2S. Metallic oxides.
Explosion hazard	: Not expected to be a fire/explosion hazard under normal conditions of use.
5.3. Advice for firefighters	
Precautionary measures fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Use self-contained breathing apparatus and chemically protective clothing.
Other information	: Prevent fire-fighting water from entering environment. Sweep up and remove to a suitable, clearly marked container for disposal in accordance with local regulations.
SECTION 6: Accidental release	e measures
	ctive equipment and emergency procedures
General measures	: Spill area may be slippery. Prevent soil and water pollution. Prevent entry to sewers and publi waters.
General measures 6.1.1. For non-emergency personn	: Spill area may be slippery. Prevent soil and water pollution. Prevent entry to sewers and publi waters.
General measures 6.1.1. For non-emergency personn Protective equipment	 Spill area may be slippery. Prevent soil and water pollution. Prevent entry to sewers and public waters. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be
General measures 6.1.1. For non-emergency personn Protective equipment Emergency procedures	 Spill area may be slippery. Prevent soil and water pollution. Prevent entry to sewers and publi waters. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required. Use protective clothing.
General measures 6.1.1. For non-emergency personn Protective equipment Emergency procedures 6.1.2. For emergency responders	 Spill area may be slippery. Prevent soil and water pollution. Prevent entry to sewers and publi waters. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required. Use protective clothing.
General measures 6.1.1. For non-emergency personn Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment	 Spill area may be slippery. Prevent soil and water pollution. Prevent entry to sewers and publi waters. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required. Use protective clothing. Consider evacuation. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required. Use protective clothing. Consider evacuation.
General measures 6.1.1. For non-emergency personn Protective equipment Emergency procedures	 Spill area may be slippery. Prevent soil and water pollution. Prevent entry to sewers and publi waters. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required. Use protective clothing. Consider evacuation. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required. Use protective clothing.

Dike for recovery or absorb with appropriate material. Notify authorities if product enters sewers or public waters. Prevent soil and water pollution. Prevent liquid from entering sewers, watercourses, underground or low areas. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

6.3. Methods and material for containm	ent and cleaning up
For containment	: Large quantities: Contain large spillage with sand or earth.
Methods for cleaning up	: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Take up large spills with pump or vacuum and finish with dry chemical absorbent.
Other information	: Use suitable disposal containers. Sweep up and remove to a suitable, clearly marked container for disposal in accordance with local regulations. On water, recover/skim from surface and pour out in disposal container.

Reference to other sections 6.4.

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.
Precautions for safe handling	: Avoid prolonged and repeated contact with skin. May be dangerously slippery if spilled. Where contact with eyes or skin is likely, wear suitable protection. Do not eat, drink or smoke during use. Remove contaminated clothing and shoes.
Hygiene measures	: Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems. Handle in accordance with good industrial hygiene and safety practice. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Where contact with eyes or skin is likely, wear suitable protection. Wash contaminated clothing before reuse.

Safety Data Sheet according to Regulation (EC) No. 453/2010

7.2. Conditions for safe storage, inclu	ding any incompatibilities
Technical measures	: Keep container tightly closed and in well ventilated place.
Storage conditions	: Store in original container.
Incompatible products	: Reacts vigorously with strong oxidizers and acids.
Maximum storage period	: 5 year
Storage temperature	: ≤ 40 °C
Prohibitions on mixed storage	: Keep away from : oxidizing materials. strong acids.
Storage area	: Store at ambient temperature.
Special rules on packaging	: Keep container tightly closed and dry.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/per	son	al protection
8.1. Control parameters		
Exposure-value for oil mist	:	10 mg/m3 (15 min.) or 5 mg/m3 (8 hours).
8.2. Exposure controls		
Appropriate engineering controls	:	Large quantities: Contain large spillage with sand or earth.
Personal protective equipment	:	Gloves. In case of splash hazard: safety glasses. Eye protection should only be necessary where liquid could be splashed or sprayed.
Materials for protective clothing	:	PVC gloves. Neoprene or nitrile rubber gloves.
Hand protection	:	In case of repeated or prolonged contact wear gloves. The gloves should be replaced immediately in case of damage or signs of wear. It is recommended to use preventative skin protection (skin cream). The protection glove should be tested for its specific suitability (e.g. mechanical strength, product compatibility, anti-static properties).
Eye protection	:	Eye protection should only be necessary where liquid could be splashed or sprayed.
Skin and body protection	:	No special clothing/skin protection equipment is recommended under normal conditions of use. Avoid repeated or prolonged skin contact. If repeated skin contact or contamination of clothing is likely, protective clothing should be worn. Equipment should conform to EN 166.
Respiratory protection	:	Respiratory protective equipment is not normally required where there is adequate natural or local exhaust ventilation to control exposure. Where excessive vapour, mist, or dust may result, use approved respiratory protection equipment. Respiratory protective equipment must be checked to ensure it fits correctly each time it is worn. Provided an air-filtering/air-purifying respirator is suitable, a filter for particulates can be used for mist or fume. Use filter type P or comparable standard. A combination filter for particles and organic gases and vapours (boiling point >65°C) may be required if vapour or abnormal odour is also present due to high product temperature. Use filter type AP or comparable standard.
Environmental exposure controls	:	See Heading 12. See Heading 6.
Consumer exposure controls	:	PVC gloves. Neoprene or nitrile rubber gloves.
Other information	:	Do not put the product-soaked rags into the pockets of working clothes. Do not use cloths stained with the product to dry hands. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use. Wash contaminated clothing before reuse.
SECTION 9: Physical and chemical	l pro	perties

9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Appearance	: Oily. Liquid.
Colour	: Red.
Odour	: characteristic.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: < 0,1
Melting point	: -40 °C
Freezing point	: No data available
Boiling point	: >280 °C
Flash point	: 150 °C

Safety Data Sheet according to Regulation (EC) No. 453/2010

Auto-ignition temperature	: > 240 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour Pressure 20°C	: < 0,1 hPa
Relative vapour density at 20 °C	: >1 (air=1)
Relative density	: No data available
Solubility	: insoluble in water.
Log Pow	: >3
Viscosity, kinematic @ 20 °C	: 50 - 150 cSt
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 0,6 - 7 vol %
9.2. Other information	
VOC content	: 0%
Other properties	: Gas/vapour heavier than air at 20'C.
SECTION 10: Stability and reactivi	ty
10.1. Reactivity	
Stable under normal conditions of use.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	S
Refer to section 10.1 on Reactivity.	
10.4. Conditions to avoid	
Moisture. Overheating.	
10.5. Incompatible materials	
Strong oxidizing agents. strong acids.	
10.6. Hazardous decomposition produc	
CO, CO2, POx, NOx, SOx, H2S. Metallic oxid	
SECTION 11: Toxicological inform	ation

11.1.	Information on toxicological effects		
Acute toxicity		:	Not classified
			Toxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the toxicology of similar products.
Irritation		:	Not classified
			Unlikely to cause harm to the skin on brief or occasional contact but prolonged or repeated exposure may lead to dermatitis.
Corrosiv	ity	:	Not classified
Sensitis	ation	:	Not classified
Repeate	ed dose toxicity	:	Not classified
Carcino	genicity	:	Not classified (Based on available data, the classification criteria are not met)
Mutager	nicity	:	Not classified (Based on available data, the classification criteria are not met)
Toxicity	for reproduction	:	Not classified (Based on available data, the classification criteria are not met)
Other in	formation	:	Toxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the toxicology of similar products. Likely route of exposure: ingestion, skin and eye.

SECTION 12: Ecological information					
12.1. Toxicity					
Ecology - general	: Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products.				
Ecology - water	: This product floats on water and may affect the oxygen-balance in the water.				

12.2. Persistence and degradability	
ENEOS ECO ATF	
Persistence and degradability	Not readily biodegradable.
12.3. Bioaccumulative potential	
ENEOS ECO ATF	
Log Pow	>3
Bioaccumulative potential	This product is not expected to bioaccumulate through food chains in the environment.
12.4. Mobility in soil	
ENEOS ECO ATF	
Ecology - soil	Not miscible with water. Spillages may penetrate the soil causing ground water contamination. This product floats on water and may affect the oxygen-balance in the water.
12.5. Results of PBT and vPvB asses	ssment
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideration	ations
13.1. Waste treatment methods	
Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Do not discharge into drains or the environment.
Additional information Ecology - waste materials	 Hazardous waste. Every mixture with foreign substances such as solvents, brake- and cooling liquids is forbidder
	Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned a drum reconditioner or disposed of properly. When not empty dispose of this container at hazardous or special waste collection point.
European List of Waste (LoW) code	: 13 02 06* - Synthetic engine, gear and lubricating oils
SECTION 14: Transport informat	ion
In accordance with ADR / RID / IMDG / IAT	A / ADN
14.1. UN number	
Not regulated for transport	
14.2. UN proper shipping name	
Proper Shipping Name	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN) Proper Shipping Name (RID)	: Not applicable : Not applicable
14.3. Transport hazard class(es) ADR	
Transport hazard class(es) (ADR)	: Not applicable
IMDG	
Transport hazard class(es) (IMDG)	: Not applicable
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: Not applicable
ADN	
Transport hazard class(es) (ADN)	: Not applicable
RID	
RID Transport hazard class(es) (RID)	: Not applicable

Safety Data Sheet according to Regulation (EC) No. 453/2010

14.4. Packing group				
Packing group (UN)	: Not applicable			
Packing group (IMDG)	: Not applicable			
Packing group (IATA)	: Not applicable			
Packing group (ADN)	: Not applicable			
Packing group (RID)	: Not applicable			
14.5. Environmental hazards				
Dangerous for the environment	: No			
Marine pollutant	: No			
Other information	: No supplementary information available			
14.6. Special precautions for user				
14.6.1. Overland transport				
14.6.2. Transport by sea				
14.6.3. Air transport				
14.6.4. Inland waterway transport				
Not subjected to ADN	: No			
14.6.5. Rail transport				
Carriage prohibited (RID)	: No			
14.7. Transport in bulk according to An	nex II of MARPOL 73/78 and the IBC Code			
Not applicable				
SECTION 15: Regulatory information	on			
	regulations/legislation specific for the substance or mixture			
15.1.1. EU-Regulations				
No REACH Annex XVII restrictions				
Contains no REACH candidate substance				
VOC content	: 0%			
15.1.2. National regulations				
No additional information available				
15.2. Chemical safety assessment				
No additional information available				

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
H413	May cause long lasting harmful effects to aquatic life
R21	Harmful in contact with skin
R34	Causes burns
R36	Irritating to eyes

Safety Data Sheet according to Regulation (EC) No. 453/2010

R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R53	May cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed
С	Corrosive
Ν	Dangerous for the environment
Xi	Irritant
Xn	Harmful

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product